SBL Specialty Coatings Private Limited
(100% Subsidiary of Berger Paints India Limited)
ISO 9001:2015 CERTIFIED COMPANY
CIN No. : U24231CH1994PTC015100

+91-1762-284201-02-03-04
info@sblcoatings.com
www.sblcoatings.com

Ref: SBL/EC/2026
Dated: 24/07/2026

To,

The Additional Director,
MoEF&CC,
Northern Regional Office,
Sector-31 A, Chandigarh.

Subject: Six monthly EC compliance report for the period **01.01.2026 to 30.06.2026.**

Respected Sir,

It is informed that our unit was granted EC under EIA notification dated 14.09.2006 by the MoEF&CC vide letter dated 05/01/2021 for the manufacturing of Clear, Metallic, Pearl Lacquer, Acrylic, Alkyd, Polyester and Specialty Resin subject to certain conditions.

In compliance to the condition imposed in the said EC, we are, hereby, submitting six monthly compliance report of the conditions imposed in the EC for the period 01.01.2026 to 30.06.2026. This six monthly compliance report has been uploaded on the Parivesh Portal and on the Website of our unit.

Hope, these above actions will be in line with your recommendations.

Thanking you,

Yours faithfully,

For SBL Specialty Coatings Private Limited

Authorized Signatory

For SBL Specialty Coatings Private Limited
Authorised Signatory

CC:

1. The Ministry of Environment Change, Indira Prayavaran Bhawan, Jorbagh Road,New Delhi-3
2. Sr. Environment Engineer, PPCB, Zonal Office -1, Vatavaran Bhavan, Nabha Road, Patiala
3. Environment Engineer, PPCB, Plot No.55, Phase-II, Near Bassi Theatre, Mohali, 160051.

SBL SPECIALTY COATINGS

SBL Specialty Coatings Private Limited
(100% Subsidiary of Berger Paints India Limited)
ISO 9001:2015 CERTIFIED COMPANY
CIN No. : U24231CH1994PTC015100

+91-1762-284201-02-03-04
info@sblcoatings.com
www.sblcoatings.com

Compliance Report for the period 01.01.2026 to 30.06.2026 of the Conditions Imposed in EC

S. No.	Conditions	Status of Compliance
A.	**SPECIFIC CONDITIONS**	
1.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	The company has adopted all environmental protection measures and safeguards as proposed in the documents submitted to the MoEF&CC and also adopted all the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project.
2.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste / treated water shall be discharged outside the premises. Treated effluent shall be reused in the process / utilities. Treated Industrial effluent shall not be used for gardening / green belt development / horticulture.	**Trade effluent:** We have installed an evaporator followed by a pan type evaporator of capacity 500 liters/day to handle the wastewater being generated from manufacturing of resin, washing of resin reactor and water-based paint. The treated water is being used for cleaning of resin reactors. **Domestic effluent:** Anaerobic Baffled Reactor has been installed for treatment of domestic effluent. Treated effluent is being used for irrigation of plantation area.
3.	Continuous online (24X7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	We have installed an On-line Continuous Emission Monitoring System on the stack of the thermic fluid heater for monitoring and transferring of real time data of PM, SOx & NOx in flue gas emissions, which is connected with the server of PPCB and CPCB for providing real time data with regard to above mentioned parameters.
4.	The storage of toxic/hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.	Bare minimum quantity of raw material is being stored. The detail of storage of raw material has already been submitted to the Northern Regional Office of the MoEF&CC at Chandigarh and PPCB with the previous six monthly compliance report.

For SBL Specialty Coatings Private Limited

Authorised Signatory

5.	Occupational health Centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Occupational health Centre for surveillance of the worker's health has been set up and the health data is being used in deploying the duties of the workers. It has been made mandatory for all the workers to wear PPE's.
6.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Regular training is being imparted to all employees on safety and health aspects for handling of chemicals.
7.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Complete Firefighting system has been installed as an arrangement for protection of possible fire hazards during manufacturing process in material handling.
8.	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.(f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.	All these measures are installed for proper management of solvents.
9.	Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.99% with effective chillers/modern technology.	Entire resin manufacturing process is operated under close circuit to avoid generation of any kind of VOCs. While in paint manufacturing process, necessary measures have been taken to control VOCs i.e. trolleys are covered with lids, AHU & exhaust systems have been installed.
10.	Total fresh water requirement shall not exceed 9 KLD proposed to be met from Punjab Small Industries and Export Corporation Ltd (PSIEC) water supply. Necessary permission in this regard shall be obtained from the concerned regulatory authority, and renewed from time to time.	Total water consumption in the unit remains below 9 KLD and the unit is maintaining proper record of fresh water consumed.
11.	Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	We have constructed 2 no. tanks of capacity 35KL and 15 KL for harvesting of rain water for further using in the green belt and other usages where the same is found fit to use. There is separate drainage system for storm water to rule out the possibility of mixing with industrial wastewater.

For SBL Specialty Coatings Private Limited

Authorised Signatory

12.	The company shall undertake waste minimization measures as below: (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapors recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.	Entire water supply is metered one to ensure judicious use of fresh water viz-a-viz minimum generation of wastewater.
13.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	700 no. of plants of native species have been planted in an area of 1.06 acres, which is more than 33% of the total project area.
14.	The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made during public hearing shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit.	Activities and the action plan as proposed in the EIA report/EMP to address the socio-economic issues in the study area, are being implemented in letter and spirit.
15.	A separate Environmental Management Cell (having Qualified person with Environmental Science /Environmental Engineering / specialization in the project area) equipped with full- fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management Cell comprising of following officials has been constituted to address the environmental issues: Mr. Gulshan Sachdeva: Master of Science, Environmental study Mr. Sanjeev Kushwaha : Head Production Mr. Budhi Parkash : Head EHS.
B	**GENERAL CONDITION**	
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Noted and compliance shall be ensured.

For SBL Specialty Coatings Private Limited

Authorised Signatory

2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	LED lighting has been provided to conserve electric energy.
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 DBA (day time) and 70 DBA (night time).	The DG sets of 250KVA and 125 KVA are attached with proper canopy to contain the SPL within the prescribed standards. Also stacks of adequate heights have been provided with the DG set. There is no other source of significant noise pollution.
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	As per the directions of District Administration, SAS Nagar, The unit has spent Rs. 1,50,000 under CER program for promoting women led entrepreneurship and empowering self-help group in rural areas.
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	A provision in the budget of every financial year has been made for proper O&M of pollution control measures and the same is only used for the earmarked purpose.
6.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Already complied with.
7.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status reports shall be posted on the website of the company.	Six monthly compliance report is being submitted regularly every year to the respective Northern Regional Office of MOEF&CC at Chandigarh, Zonal Office of CPCB at Chandigarh and PPCB.

For SBL Specialty Coatings Private Limited

Authorised Signatory

8.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MOEF&CC by e-mail.	Environmental Statement for each financial year ending 31st March in Form-V is being submitted to the Punjab Pollution Control Board.
9.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied with and a copy of the advertisement has already been submitted to MOEF&CC with the previous six monthly report.
10.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted for compliance
11.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted

For SBL Specialty Coatings Private Limited

Authorised Signatory